





"sp60-sp80-1-sp100-sp120" alüminyum süpürgelikler özellikle hastane, okul, huzurevi, otel, iş merkezi, sosyal tesis, ofis ve benzeri alanlarda zemin ile duvarın birleştiği noktaları kapatır ve mekana estetik bir bütünlük katar. Duvarları süpürge darbeleri ve ayak çarpmalarına karşı korur. Ayrıca parke genişleme boşluklarını gizler ve kablo geçişlerini düzenleyerek ortamı daha temiz gösterir.

"sp60-sp80-1-sp100-sp120" aluminium baseboards are specifically designed for use in hospitals, schools, hotels, business centers, social facilities, offices, and similar environments. It conceals the junction between the floor and wall, providing a clean and aesthetically integrated finish. It protects walls from damage caused by vacuum cleaners, cleaning equipment and foot traffic. Additionally, it conceals expansion gaps in flooring and organizes cable routing, contributing to a cleaner and more orderly appearance.

TEKNİK ÖZELLİKLER

- Yükseklik: 60 mm (sp60) / 80 mm (sp80-1) / 100 mm (sp100) / 120 mm (sp120)
- Derinlik: 12,5 mm
- Profil boyları: 3 m
- İç konstrüksiyon: Vinil (çizilmez, anti-bakteriyel, yanmaya dayanıklı)
- Ön kapak: Fırın boyalı veya eleksollü alüminyum profil
- Duvar bağlantısı: 50-75 cm aralıklarla atılan duvar yapısına uygun vida ve dubeller

TECHNICAL PROPERTIES

- Height: 60 mm (sp60) / 80 mm (sp80-1) / 100 mm (sp100) / 120 mm (sp120)
- Depth: 12,5 mm
- Profile lengths: 3 m
- Inner construction: Vinyl (anti-scratch, anti-bacterial, fire-proof)
- Front cover: Powder-Coated or Anodized Aluminium Profile
- Wall connection: Screw and pegs suitable for wall structure placed at intervals of 50-75 cm


sp60

sp80-1


sp100

sp120

SÜPÜRGELİKLER
BASEBOARDS




sp60 - sp80-1 - sp100 ve sp120 ANA PARÇALAR / sp60 - sp80-1 - sp100 and sp120 MAIN COMPONENTS



①

Fırın Boyalı veya Eloksallı Alüminyum Süpürgelik Profili
Powder-Coated or Anodized Aluminum Baseboard Profile



②

Vinil Duvar Bağlantı Profili
Vinyl Wall Connection Profile



③

Fırın Boyalı veya Eloksallı Alüminyum Profil Kapağı
Powder-Coated or Anodized Aluminum Profile End Cap


YÜKSEKLİK SEÇENEKLERİ - AVAILABLE HEIGHTS

A


60 mm




80 mm



100 mm




120 mm



YÜKSEK DAYANIM / HIGH DURABILITY

Tek Parça Vinil Profil ile Bağlantı Yöntemi
Wall Connection with One-Piece Solid Vinyl Profile

B



60 mm

80 mm

100 mm

120 mm